



300Mbps Wireless N PCI-E Adapter

WF-2113

Features

- Wireless N speed up to 300Mbps
 - PCI-E interface
 - 2*5dBi high gain detachable antennas provide better wireless signal coverage and reception
- Long Profile bracket included



Brief

The netis WF-2113 300Mbps Wireless N PCI-E Adapter is a 802.11n wireless client which provides high performance wireless connectivity for your desktop computer. With good compatibility WF-2113 can fit with any standard PCI-E slot and complies with IEEE802.11b/g/n standards.

Specification

Wireless

Standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Signal Rate	Up to 300Mbps
Frequency Range	2.4-2.4835GHz
Wireless Security	Support 64/128-bit WEP, WPA-PSK/WPA2-PSK


Hardware

Interface	PCI-E
Antenna Type	Omni Directional, Detachable
Antenna Gain	2*5dBi
LEDs	Link/Activity
Size	127 × 122 × 20 mm
Weight	32.5g

Others

Certification	FCC, CE
System Requirements	WinXP/Vista/Win7/Win8/Win8.1/Win10/MAC OS
Environment	Operating Temperature: 0℃~40℃ Storage Temperature: -40℃~70℃ Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Package	1 *WF-2113 1 * Quick Installation Guide 1 * Low Profile Bracket 1 * Driver CD

Topological Graph



WF2419, WF2420, WF2120, WF2116

Specifications are subject to change without notice. Netis is a registered trademark of Netis Systems Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from Netis Systems Co., Ltd.