



300Mbps Wireless Dual Band USB Adapter

WF2151

Features

- Wireless speed up to 2.4GHz 300Mbps and 5GHz 300Mbps
- Easy wireless security encryption with single WPS button
- Bundle with a stylish USB cradle for flexible deployment
- 2*5dBi high gain detachable antennas provide better wireless signal coverage and reception
- Auto Hassle free installation



Description

The netis WF2151 is dedicated to the Dual Band wireless solutions. It provides you the access to crystal clear 5GHz connections or legacy 2.4GHz connections at 300Mbps. With the wireless connection transmitting over 5GHz band, you needn't worry about the interferences from the mass of existing 2.4GHz wireless devices and household appliances that may disturb with their wireless signal, ensuring a high-quality connection ideal for online gaming, video streaming, and VoIP phone calling. 5dBi detachable antenna allows for better alignment and stronger antenna upgrade


Specification

Wireless	
Standards	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Signal Rate	Up to 300Mbps
Frequency Range	2.4-2.4835GHz, 5.15GHz-5.825GHz
Modes	Infrastructure
Wireless Security	Support 64/128-bit WEP, WPA-PSK/WPA2-PSK

Hardware	
Port	USB 2.0
Button	WPS
Antenna	2*5dBi
Dimensions (LxWxH)	9.1x2.6x0.9mm
Weight	15g

Others	
Certification	FCC, CE
System Requirements	Windows XP/Vista/7/8/8.1/10
Environment	Operating Temperature: 0°C~40°C Storage Temperature: -40°C~70°C Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Package	1 *WF2151 1 * Quick Installation Guide 1 * Driver CD

Topological Graph



Related products: WF2150, WF2451, WF2481,WF2471

Specifications are subject to change without notice. Netis is a registered trademark of Netis Systems Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications maybe reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from Netis Systems Co., Ltd.